Contents of Volume 43 · 1999/2000

Ahn JH → Song MJ
Akiba I → Kobori Y
Akin-Öktem G → Öktem Z
Akiyama S → Kobori Y
Aliev R → Carreón MP
Almdal K → Krebs FC
Angermann J → Moszner N
Ardal D, Yılgör E, Yılgör İ: Catalyst effect on the transesterification reactions between polycarbonate and polycaprolactone-B-polydimethylsiloxane triblock copolymers 207
Arellano M → Velázquez P
Azukizawa M → Yamada B

Barba C → Carrillo I
Barbaud C, Cammas-Marion S, Guérin P: Poly(,-malic acid) derivates with non-charged hydrophilic lateral groups: synthesis and characterization 297
Bauduin G → Irissin-Mangata J
Benmouna M → Negadi A
Beristain MF, Bucio E, Burillo G, Muñoz E, Ogawa T: Study on the interaction of diarylbutadiynes with free radicals: interaction with propagating radicals of some vinyl monomers 357
Bıçak N, Tunca U: Novel ionenes with allyl pendant groups 477
Bignozzi MC, Ober CK, Novembre AJ, Knurek C: Lithographic results of electron beam photoresists prepared by living free radical polymerization 93
Bouchal K → Ilavský M
Boutevin B → Irissin-Mangata J
Boutevin B → Lebreton P
Brereton MG → Menge H
Bucio E → Beristain MF
Burillo G → Beristain MF
Burillo G → Carreón MP
Byun D-J, Shin S-M, Han CJ, Kim SJ: Chain transfer reaction in metallocene catalyzed ethylene copolymerization with allyltrimethylsilane 333

Cammas-Marion S → Barbaud C
Canessa GS → Pooley SA
Cao Y → Gu B
Capek I, Chudej J: On the fine emulsion polymerization of styrene with non-ionic emulsifier 417
Carreón MP, Aliev R, Velázquez C, Burillo G: Graft polymerization of *N,N*-dimethylaminoethylmeth-acrylate onto polycarbonates by the preirradiation method 403
Carrillo I, Fernández-Martín F, Barba C, Sánchez de la Blanca E, González-Tejera MJ, Hernández-Fuentes I: Thermal stability of polyfuran/perchlorate doped films 269
Çatalgil-Giz H, Giz A, Öncül-Koç A: Termination mechanism of polymethyl methacrylate and polystyrene studied by ultrasonic degradation technique 215
Çetin S → Öktem Z
Chen C-C → Wang C
Chen C → Zhang X
Chen S-H → Yang C-P
Chen Y → Zhang X
Cheng HN: Compositional heterogeneity of alginates through NMR analysis 247
Chirinos J → Parada A
Chu Q, Lu H, He T, Ding M: Synthesis and thermal polymerization of a novel stilbene-maleimide AB-monomer 471
Chudej J → Capek I
Chujo Y → Konishi G-i
Chujo Y → Matsumi N
Chujo Y → Matsumi N
Chujo Y → Oyama T
Corpart J-M → Lebreton P
Cui Y → Fang Y

Danilova IG → Zakharov VA
Denes F → Lee S-D
Dietsche F, Mülhaupt R: Thermal properties and flammability of acrylic nanocomposites based upon organophilic layered silicates 395
Ding M → Chu Q
Du Q → Gu B
Duval M → Negadi A

Ekanayake P → Menge H
Endo T → Sawada Y

Fang Y, Liu S, Hu D, Cui Y, Xue M: Complexes of chitosan and poly(methacrylic acid) studied by fluorescence techniques 387
Farah AA, Pietro WJ: Synthesis and characterization of partially crosslinked poly(*N*-vinylcarbazolevinylalcohol) copolymers with polypyridyl Ru(II) luminophores: Potential materials for electroluminescence 135
Faust R → Hadjikyriacou S
Fenyvesi G → Keszler B
Fernández-Martín F → Carrillo I
Findeisen M → Menge H
Fréchet JMJ → Liu M
Fréchet JMJ → Liu M
Fujimori K → Ha NTH
Fujishige S → Tsuchihara K
Fukui T → Oyama T

Gatica N, Gargallo L, Radić D: Vinyltrimethoxisilane-*co*-2-vinylpyridine copolymer. Synthesis and monomer reactivity ratios 171
Gargallo L → Gatica N

Georgiev GS: 10-I-3 Iodanes as photoiniferters with spectral selectivity 223
Giz A → Çatalgil-Giz H
Gong A → Zhang X
González-Alvarez A → Velázquez P
González-Romero VM → Velázquez P
González-Tejera MJ → Carrillo I
Gramain P → Lebreton P
Gu B, Cao Y, Du Q, Yang Y: Morphology of fibers formed via thermally induced phase separation pf polypropylene and liquid paraffin blend in stress-field 291
Guérin P → Barbaud C

Ha NTH, Fujimori K, Henry PC, Tucker DJ: Assignment of ^{13}C NMR chemical shift and microstructure of copolymers of 2-chloroethyl vinyl ether-maleic anhydride and *n*-butyl vinyl ether-maleic anhydride 81
Hadjikyriacou S, Faust R: Coupling and linking reactions of living polyisobutylene by allylsilanes 121
Han CJ → Byun D-J
Hanyková L → Ilavský M
Haque SA → Liu M
Harris JM → Sedaghat-Herati MR
He T → Chu Q
Henry PC → Ha NTH
Hernández-Fuentes I → Carrillo I
Hirayama T → Yamada B
Hochschwimmer G → Schubert US
Hong SI → Kang SJ
Huang D, Yang J, Weber WP: Synthesis and characterization of copolymers with alternating 1,4-*bis*(5'-acetyl-2'-thienyl)benzene or 1,3-*bis*(5'-acetyl-2'-thienyl)benzene chromophore and disiloxane units 465
Hu D → Fang Y

Ilavský M, Mamytbekov G, Bouchal K, Hanyková L: Phase transition in swollen gels. 27. Effect of negative charge concentration on swelling and mechanical behaviour of poly(*N*-vinylcaprolactam) gels 109
Im JK, Jung JC: Synthesis and properties of new AB-type semi-crystalline poly(ether imide)s 157
Irissin-Mangata J, Boutevin B, Bauduin G: Bilayer films composed of wheat gluten and functionalized polyethylene: Permeability and other physical properties 441
Ishii R → Kishimoto Y

Jørgensen M → Krebs FC
Jung HK, Lee JK, Kang MS, Kim SW, Kim JJ, Park SY: Synthesis and properties of poly(*p*-phenylene-vinylene-*co*-sulfonylene) for a blue light-emitting diode 13
Jung JC → Im JK

Kamiñska A → Sionkowska A
Kang MS → Jung HK
Kang SJ, Hong SI, Park CR: Properties of molecular composite film of poly(4,4'-diamino-2'-carbamoylbenzanilide terephthalamide) (p-PDCBTA) and poly(4,4'-diamino-2'-chlorobenzanilide terephthalamide) (P-LCl) 505
Karger-Kocsis J → Mouzakis DE
Karim SMA, Nomura R, Masuda T: Synthesis and properties of poly(phenylacetylene)s with pendant imino groups 305
Kaya D → Okay O
Keller A → Matusiak R
Kennedy JP → Keszler B
Keskinel M → Okay O
Keszler B, Fenyvesi G, Kennedy JP: Amphiphilic networks. XIV. Synthesis and characterization of poly(*N,N*-dimethylacrylamide)-*l* – three-arm star polyisobutylene 511
Kim DJ → Song MJ
Kim JJ → Jung HK
Kim M-J → Lee J-Y
Kim SC → Song MJ
Kim SJ → Byun D-J
Kim SW → Jung HK
Kishimoto Y, Ishii R: Differential scanning calorimetry of polysulfone at high pressures of CO_2 and N_2O 255
Knurek C → Bignozzi MC
Knurek C → Bignozzi MC
Kobori Y, Akiba I, Akiyama S: Crystallization in blends of isotactic polyprophylene with polyethylene-*b*-poly(ethylene-*co*-butylene)-*b*-polyethylene block copolymer 285
Kongkaew A, Wootthikanokkhan J: Synthesis of polyisoprene-poly(methyl methacrylate) block copolymers by using polyisoprene as a macroiniferter 327
Konishi G-i, Chujo Y: Synthesis of a star-shaped polymer by coordination of 2,2'-bipyridyl-terminated poly(propylene glycol) with ruthenium ion 9
Koseva N, Manolova N, Markova N, Radoucheva T, Rashkov I: Chitosan gel beads as drug carriers. 2. Release of 8-hydroxy-7-iodoquinoline-5-sulfonic acid and 2,5-dihydroxybenzenesulfonic acid 101
Koseva N → Stoilova O
Kozlowski A → Sedaghat-Herati MR
Krebs FC, Jørgensen M, Lebech B, Almdal K, Pedersen WB: Synthesis of small molar mass perdeuterated polyethylpropylene (d-PEP) as an auxiliary for neutron studies 485
Kunisada H → Takagi K
Kwon TS → Takagi K

Lebech B → Krebs FC
Lebreton P, Boutevin B, Gramain P, Corpart J-M: Synthesis, characterization and associative

properties of triblock and diblock perfluorinated poly(acrylamide)s 59
Lee DS → Song MJ
Lee JK → Jung HK
Lee JW → Park SH
Lee J-Y, Kim M-J: Synthesis of polyurethanes containing dioxynitrostilbene as a NLO-chromophore and their properties 491
Lee S-D, Manolache S, Sarmadi M, Denes F: Deposition of high fluorine content macromolecular thin layers under continuous-flow-system corona discharge conditions 409
Linden L-A → Sionkowska A
Liou G-S → Yang C-P
Liu M, Fréchet JMJ: Preparation, MALDI-TOF analysis, and micelle-like behavior of alkyl-modified poly(propylene imine) dendrimers 379
Liu M, Petro M, Fréchet JMJ, Haque SA, Wang H-C: Preparation of hydrophobic poly(isobutylene) star polymers with hydrophilic poly(propylene imine) dendritic cores 51
Liu S → Fang Y
Liu W → Zhang X
Lu H → Chu Q

Maglio G, Maglio P, Oliva A, Palumbo R: Polyamides containing α-aminoacids and hydrophilic oxyethylene groups along the chain 191
Maglio P → Maglio G
Malter LM → Poché DS
Mamytbekov G → Ilavský M
Manolache S → Lee S-D
Manolova N → Koseva N
Manolova N → Stoilova O
Markova N → Koseva N
Masuda T → Karim SMA
Masuda T → Nomura R
Matsumi N, Chujo Y: Alternating boration copolymerization between diyne and bisallene 117
Matsumi N, Chujo Y: Synthesis of poly-(cyclodiborazane)s by hydroboration polymerization of dicyano compounds with tripylborane 151
Maturana HA → Rivas BL
Matusiak R, Keller A: New catalyst system for polymerization of substituted acetylenes: $W(NO)_2(O_2CR)_2$–MCl_4(M = Ti, Sn) 199
Menge H, Ekanayake P, Ries ME, Brereton MG, Findeisen M: Local order and strain-induced orientation in poly(butadiene) networks studied by ^2H NMR 371
Miller P → Sedaghat-Herati MR
Moszner N, Zeuner F, Angermann J, Rheinberger V: Polymerization of cyclic monomers. 9. Synthesis and radical polymerization of spirocyclic 2-vinylcyclopropanes 1
Mouzakis DE, Karger-Kocsis J: Essential work of fracture: Simulating the toughness response of deeply double-edge notched specimens 449
Muñoz E → Beristain MF

Naka K → Oyama T
Nakaoki T, Sumida T, Takagi M, Takemoto K: High resolution solid state ^{13}C NMR investigation of thedeoxycholic acid/ferrocene inclusion compound 365
Negadi A, Duval M, Benmouna M: Static and dynamic light scattering from polystyrene/cyclohexane/toluene solutions 261
Nomura R → Karim SMA
Nomura R, Watanabe K, Masuda T: Synthesis of alkoxycarbene-containing polymers and their application as polymeric catalysts for phenylacetylene polymerization 177
Novembre AJ → Bignozzi MC
Nuyken O → Schubert US

Ober CK → Bignozzi MC
Ogawa T → Beristain MF
Okay O, Yilmaz Y, Kaya D, Keskinel M, Pekcan Ö: Heterogeneities during the formation of poly(sodium acrylate) hydrogels 425
Öktem Z, Çetin S, Akin-Öktem G: Functionalization of low molecular weight atactic polyprophylene. Part I. Spectroscopic studies 239
Oliva A → Maglio G
Öncül-Koç A → Çatalgil-Giz H
Oyama T, Fukui T, Naka K, Chujo Y: Synthesis of poly(*N,N*-dimethylcarbamoylmethylene) as a polymer homolog of *N,N*-dimethylacetamide 183

Palumbo R → Maglio G
Panchenko VN → Zakharov VA
Parada A, Rajmankina T, Chirinos J: Study of the $MgCl_2$ recrystallization conditions on Ziegler-Natta catalyst properties 231
Park CR → Kang SJ
Park SH, Lee JW, Suh DH: Synthesis and the Properties of Novel Cycloaliphatic-aromaticPolyamides having pendent *N,N'*-diphenyl imido groups 311
Park SY → Jung HK
Paukshtis EA → Zakharov VA
Pedersen WB → Krebs FC
Pekcan Ö → Okay O
Perič IM → Rivas BL
Perrault JM → Poché DS
Petermann J → Yan S
Petro M → Liu M
Pietro WJ → Farah AA
Poché DS, Malter LM, Perrault JM: Crosslinking of poly(γ-dec-1-enyl-L-glutamate) and

poly(g-dec-1-enyl-*co*-γ-alkyl-L-glutamate) through interchain olefin metathesis 43
Pooley SA, Canessa GS, Rivas BL: Poly[*N*-(hydroxyethyl)ethyleneimine-*co*-phenyl succinic anhydrine Synthesis and structure 341

Rabek JF → Sionkowska A
Radić D → Gatica N
Radoucheva T → Koseva N
Rajmankina T → Parada A
Rashkov I → Koseva N
Rashkov I → Stoilova O
Rheinberger V → Moszner N
Ries ME → Menge H
Rivas BL, Maturana HA, Perič IM, Villegas S: Metal ion extraction behavior of poly([2(methacryloyloxy)ethyl]trimethylammonium chloride-*co*-acrylic acid) resin 277
Rivas BL → Pooley SA

Sánchez de la Blanca E → Carrillo I
Sarmadi M → Lee S-D
Sawada Y, Tomita I, Endo T: Synthesis of novel organocobalt poly(arylene-vinylene)s containing (cyclobutadiene)cobalt moieties in the main chain 165
Schubert US, Hochschwimmer G, Spindler CE, Nuyken O: Controlled polymerization of methylmethacrylate and ethylacrylate using *tris*(4,4'-dimethyl-2,2'bipyridine) copper(II) hexafluorophosphate complexes and aluminium isopropoxide 319
Sedaghat-Herati MR, Miller P, Kozlowski A, Harris JM: Synthesis of methoxypoly(oxyethylene)propionic acid 35
Semikolenova NV → Zakharov VA
Shin S-M → Byun D-J
Sionkowska A, Kamiñska A, Linden L-A, Rabek JF: Comparison of the photopolymerization kinetics of triethyleneglycol diamethacrylate initiated by camphorquinone(*N*-phenylglicine and camphorquinone /D,L-α-phenylglycine 349
Song MJ, Lee DS, Ahn JH, Kim DJ, Kim SC: Dielectric behavior during sol-gel transition of PEO-PPO-PEO triblock copolymer aqueous solution 497
Soyano A → Takagi K
Spindler CE → Schubert US
Stoilova O, Koseva N, Manolova N, Rashkov I: Polyelectrolyte complex between chitosan and poly(2-acryloylamido-2-methylpropanesulfonic acid) 67
Suh DH → Park SH
Sumida T → Nakaoki T

Takagi K, Soyano A, Kwon TS, Kunisada H, Yuki Y: Controlled radical polymerization of styrene utilizing excellent radical capturing ability of diphenyl ditelluride 143
Takagi M → Nakaoki T
Takemoto K → Nakaoki T
Tomita I → Sawada Y
Tsuchihara K, Fujishige S: Living polymerization of hexaethylcyclotrisiloxane 129
Tucker DJ → Ha NTH
Tunca U → Bıçak N

Velázquez C → Carreón MP
Velázquez P, González-Alvarez A, González-Romero VM, Arellano M: Rheological monitoring of curing reaction of an epoxy system: effect of heating rate 519
Villegas S → Rivas BL

Wang C, Chen C-C: Surface-induced crystallization of syndiotactic polystyrene on high modulus carbon fibers 433
Wang H-C → Liu M
Watanabe K → Nomura R
Weber WP → Huang D
Wootthikanokkhan J → Kongkaew A

Xi F → Zhang X
Xue M → Fang Y

Yamada B, Azukizawa M, Hirayama T: Radical poly-merization of methyl α-(crotonyloxymethyl)acrylate to soluble polymer bearing pendant double bonds 457
Yang J → Huang D
Yan S, Petermann J: A method for comparing the nucleation ability of PTFE, iPP and sPP on PE 75
Yang C-C → Yang C-P
Yang C-P, Liou G-S, Yang C-C, Chen S-H: Synthesis and characterization of new organo-soluble poly(amide-imide)s based on 1,4-bis(trimellitimido)-2,5-dimethylbenzene 21
Yang Y → Gu B
Yılgör E → Ardal D
Yılgör İ → Ardal D
Yilmaz Y → Okay O
Yuki Y → Takagi K

Zakharov VA, Panchenko VN, Semikolenova NV, Danilova IG, Paukshtis EA: IRS study of ethylene polymerization catalyst SiO_2/MAO/zirconocene 87
Zhang X, Liu W, Chen Y, Gong A, Chen C, Xi F: Self-condensing vinyl polymerization of acrylamide 29
Zeuner F → Moszner N

Indexed in *Current Contents*

Subject Index

AB-monomer 471
1,3-*bis*(5'-Acetyl-2'-thienyl)benzene 465
1,4-*bis*(5'-Acetyl-2'-thienyl)benzene 465
Acetylenes, substituted 199
Acrylamide 59
–, self-condensing vinyl polymerization 29
AIBN 143
Alginates, compositional heterogeneity 247
Alkoxycarbene-containing polymers 177
Allyl diglycol carbonate 403
4-Allyl-1,2-dimethoxybenzene 239
4-Allyl-2-methoxyphenol 239
Allylsilanes 121
Allytrimethylsilane 333
Aluminium isopropoxide 319
Amide-diamines 191
– Aminoacids 191
Ammonium peroxodisulfate/sodium thiosulfite 417
Amphiphilic networks 511
APP 239
Aprotic polar solvents 183
Arylbutadiynes 357
Aspartic acid 297
Azobisisobutyronitrile (AIBN) 143

Benzyl diethyldithiocarbamate 327
Benzyloxy-1-propanol 297
Bilayer films 441
Bioactive substances 101
Bioassimilation 297
Biocompatibility 191
Biodegradable materials 297
2,2'-Bipyridyl-terminated poly(propylene glycol) 9
Bis(bromomethyl-*p*-phenyl)-sulfone triphenylphosphonium 13
1,4-Bis(trimellitimido)-2,5-dimethylbenzene 21
Bisallene 117
N,N'-Bisallylpiperazine 477
Blue electroluminescence 13
Boration copolymerization 117
n-Butyl vinyl ether-maleic anhydride 81

Camphorquinone/D,L- -phenylglycine 349
Camphorquinone/*N*-phenylglycine 349
Carbon fibers, high modulus 433
Chitosan 67, 387
– gel beads 101
2-Chloroethyl vinyl ether-maleic anhydride 81
Chloromethylstyrene 93
Continuous-flow-system plasma reactor 409
Corona discharge 409
Crotonyloxy groups 457
Cryoprotectant oil 485
Crystallization 75, 485
Curing of thermosetting polymers 519
Cyclic monomers 1
Cyclohexane 261

Deeply double edge-notched specimens 449
Dendrimer-PIB 51
Dendrimers 51, 379
Dendritic macromolecule 29
Deoxycholic acid/ferrocene 365
3,4-Di-(2'-hydroxyethoxy)-4'-nitrostilbene 491
Diacetylenes 357
1,4-Diallenylbenzene 117
Diarylbutadiynes 357
5,5'-Dibromomethylene-2,2' bipyridine 135
Dicumyl peroxide 239
2,7-Diethynylfluorene 117
Diglycidyl ether of bisphenol A 519
3,4-Dihydroxy-4'-nitrostilbene 491
2,5-Dihydroxybenzenesulfonic acid 101
3,3'-Dimethoxy-4,4'-biphenylenediisocyanate 491
N,N-Dimethylacetamide 183
N,N-Dimethylacetamide(DMAc)/Et_3N 157
Dimethylacrylamide 511
N,N-Dimethylaminoethylmethacrylate 403
Dioxynitrostilbene 491
Diphenyl ditelluride 143
N,N'-Diphenyl-2,3,5,6-diimido cyclohexane-1,4-dicarboxylic acid 311
Diphenylbutadiyne 357
Disiloxane 465
p-Divinylbenzene 165
DMAEMA 403
Drug carriers 101, 297
Dynamic light scattering 261

Electroluminescence 135
–, blue 13
Electron beam resists 93
Emulsion polymerization 417
Epoxy 519
Essential work of fracture 449
Ethyl acrylate 319, 357
Ethylene 333
– /acrylic ester/maleic anhydride 441
– /glycidyl methacrylate 441
Ethylene polymerization 87
N-(4-Ethynylbenzylidene)aniline 305

Ferrocene 365
Fluorescence techniques 387
Fluorination 409
Fracture, essential work 449

Gelation, thermoreversible 497
Gels, swollen 109
Glassy polymer/compressed gas system 255
Gluten films 441
Grubb's ruthenium catalyst 43

Heat resistant high performance polymers 21
Hexaethylcyclotrisiloxane 129
Hydroboration polymerization 151
Hydrogel, swelling 109
8-Hydroxy-7-iodoquinoline-5-sulfonic acid 101
4-Hydroxybutyl methacrylate 177
N-(Hydroxyethyl)ethyleneimine 341

Inclusion compound 365
10-I-3 Iodanes 223
Ionenes 477
Isoprene-d_8 485

Kaolin 449

Lewis acidic sites 87
Light-emitting diode 13
Luminophores 135

MALDI-TOF 379
Maleic anhydride 81
Maleimide 471
3-Maleimidostilbene 471
MAO 87, 333
Membranes, microporous 291
Metal ion extraction 277
Metal-carbene complexes 177
Metallo-polymers 9
Metallocene 333
Methoxypoly(oxyethylene)propionic acid 35
Methyl -(crotonyloxymethyl)acrylate 457
Methyl methacrylate 223, 319, 327
N-Methyl-2-pyrrolidone(NMP)/pyridine 157
Methylaluminoxane 87, 333
N,N'-Methylene(bisacrylamide) 425
$MgCl_2$ recrystallization 231
Microperforation 441
Mixed solvent 261
Modified atmosphere packaging 441
Molecular composite film 505
Monovinyl monomer 457

NLO-chromophore 491
Nucleation 75

Olefin metathesis 43
Olefin polymerization 87
Organoboron 117
Organocobalt poly(arylene-vinylene)s 165

PAI 21
Paraffin, liquid 291
PE 75
PEC 67
PEG 35
Pentacarbonyltungsten acetoxyphenylcarbene 177
PEO-PPO-PEO 497
Phenylacetylene 177
2-Phenylallyltrimethylsilane 121
p-Phenylenevinylene copolymer 13
Phenylsuccinic anhydride 341
Photocurable dental restorative resins 349
Photoiniferters 223
Photoinitiators 349
Photoresists 93
PI-PMMA block 327
PIB 51, 121
PMAA 387
Poly(acrylamide)s, perfluorinated 59
Poly(2-acryloylamido-2-methylpropanesulfonic acid) 67
Poly(amide-imide) 21
Poly(arylene-vinylene)s, organocobalt 165
Poly(butadiene), strain-induced orientation 371
Poly[-(crotonyloxymethyl)acrylate] radical 457
Poly(cyclodiborazane)s 151
Poly(-dec-1-enyl-*co*- -alkyl-L-glutamate) 43
Poly(-dec-1-enyl-L-glutamate) 43
Poly(4,4'-diamino-2'-carbamoylbenzanilide terephthalamide 505
Poly(4,4'-diamino-2'-chlorobenzanilide terephthalamide 505
Poly(di-*t*-butyl fumarate) 183
Poly(diethylsiloxane) 129
Poly(*N,N*-dimethylacrylamide 511
Poly(*N,N*-dimethylcarbamoylmethylene) 183
Poly(ether imide)s, AB-type semi-crystalline 157
Poly(ethylene glycol) 35
Poly[*N*-(hydroxyethyl)ethyleneimine-*co*-phenyl succinic anhydride] 341
Poly(3-hydroxypropyl malate) 297
Poly(isobutylene) star polymers 51
Poly(-malic acid) 297
Poly(methacrylic acid) 387
Poly([2(methacryloyloxy)ethyl]trimethylammonium chloride-*co*-acrylic acid) 277
Poly(methylmethacrylate-co-dodecylmethacrylate) nanocomposites 395
Poly(2-methyl-2-oxazoline) 183
Poly(oxyethylene) 59
Poly(phenylacetylene)s 305
Poly(*p*-phenylenevinylene-*co*-sulfonylene) 13
Poly(propylene glycol), 2,2'bipyridyl-terminated 9
Poly(propylene imine) 51
– dendrimers, alkyl-modified 379
Poly(siloxane) 129
Poly(sodium acrylate) hydrogels 425
Poly(styrene-*block*-polymethyl-methacrylate) 319
Poly(vinyl alcohol) 183
Poly(vinyl chloride) 183
Poly(*N*-vinylcaprolactam) 109
Poly(*N*-vinylcarbazole-vinylalcohol) 135

Poly(*N*-vinylpyrrolidone) 183
Polyacetylenes 199, 305
Polyacrylamide 29
Polyamide film 505
Polyamides, biodegradable 191
–, cycloaliphatic-aromatic 311
Polycaprolactone-*b*-polydimethylsiloxane 207
Polycarbonate 207, 403
Polydimethylsiloxane 207
Polyelectrolyte 67
Polyethylacrylates 319
Polyethylene 231, 409, 441
Polyethylene-*b*-poly(ethylene-*co*-butylene)-*b*-polyethylene 285
Polyethylpropylene, perdeuterated 485
Polyfuran/perchlorate doped films 269
Polyimides 157
Polyisobutylene 121, 511
Polyisoprene 327, 485
Polyisoprene-poly(methyl methacrylate) 327
Polymer gels 425
Polymethyl methacrylate 215
Polyolefins 239, 441, 449
Polypropylene 291
–, isotactic 285
– /liquid paraffin 291
–, low molecular weight atactic 239
Polypyridyl Ru(II) luminophores 135
Polysaccharides 247
Polystyrene 215
-, syndiotactic 433
Polystyrene/cyclohexane/toluene 261
Polysulfone 255
– /CO_2 255
Polyurethanes 491
Postharvest respiration 441
Potassium diperiodatocuprate 29
Preferential adsorption 261
PS/cyclohexane 261
PTFE 75
Pyranine 425

Radical capturing ability 143
Recrystallization 231
Relaxation modes 261
Resists 93
Ru complexes 43
Ru-catalyzed reaction 465
Ruthenium 9, 135

Sebacoyl dichloride 191
Silica 87
Silicates, organophilic layered 395
SiO_2/MAO/zirconocene 87
Sodium acrylate 425
Sodium bentonite 395
Sol-gel transition, thermoreversible 497
Sonochemistry 215
Star polymers 51
Stilbene-maleimide 471
Styrene 143, 223
–, emulsion polymerization 417
–, non-ionic emulsifier 417

Teflon-like coatings 409
Thermally induced phase separation 291
Thickeners 59
Thin layers 409
Titanium catalyst, magnesium dichloride 231
Transcrystalline layer 433
Transcrystallization 75
Transesterification 207
Transition metal complexes 9
Triethyleneglycol diamethacrylate 349
1,3-*bis*[2-(3-Trimethylsilyl)-propenyl]benzene 121
4,7,10-Trioxa-1,13-tridecanediamine 191
Tripylborane 151
Tris(4,4'-dimethyl-2,2'bipyridine) copper (II) hexafluorophosphate 319

Ultrasonic scission 215

Vinyl ethers 81
Vinyl monomers 357
N-Vinylcaprolactam 109
(*N*-Vinylcarbazole-vinylalcohol) 135
2-Vinylcyclopropanes, spirocyclic 1
2-Vinylpyridine 171
N-Vinylpyrrolidone 223
Vinyltrimethoxysilane-*co*-2-vinylpyridine 171
Viscous modulus 519
Vitrification-devitrification 519

Wheat gluten 441

X-ray crystallography 483

Ziegler-Natta catalyst 231